PATENT COOPERATION TREATY

PCT

REC'D	01	JUL	2005
WIPC			PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

					_ 0_				
	cant's or agent's file reference 676PC00/sko	FOR FURTHER A	CTION	See Form PCT/IPEA/416	<u>ш</u>				
International application No. PCT/NO2004/000154		International filing date	(day/month/year)	Priority date (day/month/year)	쩔				
		27.05.2004		28.05.2003	⋖				
	national Patent Classification B33/076	n (IPC) or national classification and	IPC		T AVAILABLE				
	icant C KONGSBERG SUBS	SEA AS et al.			BEST				
1.	Authority under Article	35 and transmitted to the applica	int according to Artic	y this International Preliminary Exa le 36.	mining				
2.	This REPORT consists of a total of 5 sheets, including this cover sheet.								
З.		This report is also accompanied by ANNEXES, comprising:							
	a. 🛛 sent to the appl	e applicant and to the International Bureau) a total of 1 sheets, as follows:							
	and/or shee	e description, claims and/or drav ets containing rectifications autho ive Instructions).	vings which have be rized by this Authori	en amended and are the basis of the type of type of the type of the type of the type of type of the type of ty	his report 7 of the				
	sheets which beyond the Supplement	disclosure in the international ap	which this Authority oplication as filed, as	considers contain an amendment t s indicated in item 4 of Box No. I an	hat goes d the				
- -	sequence listing Box Relating to	g and/or tables related thereto, in Sequence Listing (see Section 6	computer readable 302 of the Administra	umber of electronic carrier(s)) , co form only, as indicated in the Supp ative Instructions).	lemental				
4.	•		, 1.011101						
		s of the opinion							
	☐ Box No. II Prior		gard to povolty inve	ntive step and industrial applicabilit	v				
		establishment of opinion with re-	gard to novelty, mve	Mito Step and mossing. 4ppmene	.,				
	M Box No V Rea		5(2) with regard to no ns supporting such s	ovelty, inventive step or industrial statement					
	• •	ain documents cited	,,						
		ain defects in the international ap	pplication						
		ain observations on the internation							
	e of submission of the dema	PRECTE	Date of completion 15.02.2005	n of this report					
Nai pre	me and mailing address of illminary examining authority	/ :	Authorized Officer		Solution of Petrostery				
_	European Paten	t Office - P.B. 5818 Patentlaan 2 swijk - Pays Bas - 2040 Tx: 31 651 epo nl	Schouten, A	R1 70 340-4088					
-	гах. +31 /0 340	- 5515	relephone No. +c	7, 70 070 7000	Culles en-				

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/NO2004/000154

	Box No. I	Basis of the report
١.	With regard	to the language, this report is based on the international application in the language in which it was otherwise indicated under this item.
	which i	port is based on translations from the original language into the following language, sthe language of a translation furnished for the purposes of:
	□ pub □ inte	rnational search (under Rules 12.3 and 23.1(b)) lication of the international application (under Rule 12.4) rnational preliminary examination (under Rules 55.2 and/or 55.3)
2.	have been	to the elements* of the international application, this report is based on <i>(replacement sheets which furnished to the receiving Office in response to an invitation under Article 14 are referred to in this priginally filed" and are not annexed to this report):</i>
	Description	, Pages
	1-6	as originally filed
	Claims, Nu	nbers
	1-6	filed with telefax on 11.10.2004
	Drawings,	Sheets
	1/2-2/2	as originally filed
	□ a seq	nence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing
3.	☐ The a	mendments have resulted in the cancellation of:
		description, pages claims, Nos.
	□ the	drawings, sheets/figs
	⊔ the □ an	e sequence listing <i>(specify)</i> : y table(s) related to sequence listing <i>(specify)</i> :
4	had not be	eport has been established as if (some of) the amendments annexed to this report and listed below een made, since they have been considered to go beyond the disclosure as filed, as indicated in the ntal Box (Rule 70.2(c)).
	☐ the	e description, pages
	☐ the	e claims, Nos. e drawings, sheets/figs
	□ ar	e sequence listing (specify): y table(s) related to sequence listing (specify):
	* If i	tem 4 applies, some or all of these sheets may be marked "superseded."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/NO2004/000154

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims 1-5 No: Claims 6

Inventive step (IS) Yes: Claims 1-5

No: Claims 6

Industrial applicability (IA) Yes: Claims 1-6

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Re Item V.

1 The following document is referred to in this communication:

D1: WO 01/25593 A (KONGSBERG OFFSHORE AS; HOEL KARL WILLIE (NO)) 12 April 2001 (2001-04-12)

2 INDEPENDENT CLAIM 1

2.1 In light of the documents cited in the international search report, and in light of the subsequent amendments made by the applicant, it is considered as obvious that the invention as claimed in the independent claim 1 meets the criteria mentioned in Article 33(1) PCT, i.e. it appears to be novel, to involve an inventive step and to be industrially applicable for the following reasons:

The document D1 is regarded as being the closest prior art to the subject-matter of claim 1, and discloses on page 5, line 2-9; page 9, lines 20-21 and in Fig. 1 (the references in parenthesis applying to this document) a:

Pressure containment device comprising a main housing, first longitudinal through bore arranged to receive a wire or cable slidingly therethrough, at least two spaced apart transversal through bores intersecting the main bore, each transversal bore carrying a pair of opposing rams (68, 69).

The subject-matter of claim 1 therefore differs from this known pressure containment device in that the first bore comprises sleeves.

The subject-matter of claim 1 is therefore novel (Article 33(2) PCT).

The problem to be solved by the present invention may therefore be regarded as loss of pressure control of the dynamic seal created around the moving wireline, and damaging the rubbers on the rams (see page 5, line 37-42 of the application as originally filed.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/NO2004/000154

The solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT) for the following reasons:

The mentioned problems are solved by the use of the claimed sleeves in the through bore of the pressure containment device. These sleeves create a tight fit between the moving wireline and the pressure containment device, and at the same time will prevent the rubber on the rams from extruding into the main bore when subjected to pressure when grease is pumped into the main bore.

3 DEPENDENT CLAIMS 2-5

Claims 2-5 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

4 INDEPENDENT CLAIM 6


4.1 The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claim 6 is not new in the sense of Article 33(2) PCT. Document D1 discloses on page 5, line 2-9; page 9, lines 20-21 and in Fig. 1 (the references in parenthesis applying to this document) a:

Subsea lubricator comprising a blowout preventer (40), a tool housing (60) and a grease injector assembly (64), the grease injector assembly (64) including a pressure containment device comprising a main housing, a longitudinal through bore arranged to receive a wire or cable slidingly therethrough, at least one transversal through bore intersecting the main bore and a pair of rams (68, 69) arranged in the transversal bore.

ı

11. OCT. 2004-14:33 ONSAGERS AS +47 23327701

NO. 0641 P. 2



8

CLAIMS:

- 1. Pressure containment device comprising a main housing, first longitudinal through bore arranged to receive a wire or cable slidingly therethrough, at least two spaced apart transversal through bores intersecting the main bore, each transversal bore carrying a pair of opposing rams and where the first bore comprises sleeves, characterized in that the device is including a further bore located between two of the transversal bores, the further bore extending into the main bore, for injection of grease into the main bore.
- 2. Device according to claim 1, where the first bore comprises sleeves.
- 3. Device according to claim 1, where each ram comprises a front part of an elastic material.
 - 4. Device according to claim 4, where the front part includes a slot.
 - 5. Device according to claim 1, where each ram comprises a front part with a knife for cutting a cable or wire in the first bore.
- 6. Subsea lubricator comprising a blowout preventer, a tool housing and a grease injector assembly, the grease injector assembly including a pressure containment device comprising a main housing, a longitudinal through bore arranged to receive a wire or cable slidingly therethrough, at least one transversal through bore intersecting the main bore and a pair of rams arranged in the transversal bore.

5

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
MAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.